





Anatomy of a synapse




THE SYNAPSE


A Axodendritic




B Dendrodendritic




C Axoaxonic




D Reciprocal Synapses




E Serial Synapses
(Axoaxodendritic)




F Synaptic Glomerulus



Anatomy of a synapse




neuron membrane




5 nm


ion channels



(Whiteboard)




Membrane equation



$$\tau \frac{dV}{dt} + V = \frac{V_{Na} G_{Na} + V_K G_K + V_{Cl} G_{Cl}}{G_{\text{total}}}$$

$$G_{\text{total}} = G_{Na} + G_K + G_{Cl} \quad \tau = \frac{C_m}{G_{\text{total}}}$$


Membrane with input current



$$\tau \frac{dV}{dt} + V = V_r + \frac{1}{G_{\text{leak}}} I_{\text{in}}(t)$$

$$G_{\text{leak}} = G_{Na} + G_K + G_{Cl} \quad \tau = \frac{C_m}{G_{\text{leak}}}$$


Membrane with synaptic inputs




$$\tau \frac{dV}{dt} + V = \frac{V_r G_{\text{leak}} + V_{Na} \Delta G_{Na} + V_K \Delta G_K + V_{Cl} \Delta G_{Cl}}{G_{\text{total}}}$$

$$G_{\text{total}} = G_{\text{leak}} + \Delta G_{Na} + \Delta G_K + \Delta G_{Cl} \quad \tau = \frac{C_m}{G_{\text{total}}}$$

NMDA receptor channel





Membrane with synaptic inputs




$$\tau \frac{dV}{dt} + V = \frac{V_r G_{\text{leak}} + V_{Na} \Delta G_{Na} + V_K \Delta G_K + V_{Cl} \Delta G_{Cl}}{G_{\text{total}}}$$

$$G_{\text{total}} = G_{\text{leak}} + \Delta G_{Na} + \Delta G_K + \Delta G_{Cl} \quad \tau = \frac{C_m}{G_{\text{total}}}$$





Resistive network



$$\left. \begin{array}{l} \frac{dV}{dx} = -I R \\ \frac{dI}{dx} = -V G \end{array} \right\} \quad \frac{d^2V}{dx^2} = R G V$$

$$V = V_0 e^{-\frac{|x|}{L}} \quad L = 1/\sqrt{R G}$$